

161




FIG. 2




FIG. 4




FIG. 4

FIG. 5




FIG. 5




FIG. 6

FIG. 7A




FIG. 7A




FIG. 7B




FIG. 7C







FIG. 8





1161


[illegible]

FIG. 12




FIG. 13




FIG. 14




FIG. 15A




FIG. 15B




FIG. 16




FIG. 17A




FIG. 17B




FIG. 18




FIG. 19





FIG. 20A

FIG. 20A






FIG. 21

Species	Sex	Age	Weight (g)	Length (mm)	Wing (mm)	Tail (mm)	Culmen (mm)	Gape (mm)	Bill (mm)	Foot (mm)	Middle toe (mm)	Claw (mm)
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♂	1	10.5	55	35	25	10	10	10	10	10	10
<i>Alcedo</i>	♀	1	10.5	55	35	25	10	10	10	10	10	10




FIG. 22.

DATA 225200




FIG. 23

2025 2025 2025

Comparison of Water and Product In-flow




FIG. 24

Beta-Gal Protein Recovery in Water




FIG. 25

Beta GAL BSPL Alone in 5 mg/ml BSA

F16. 26